


Sliding Door


INSTALLATION INSTRUCTIONS




Tools Required



Drill




6mm Masonry Drill
3.2mm HSS Drill



Spirit level



Sealant Gun



Tape Measure



Pencil



**PH2 TYPE
Screwdriver**

Please not hand tools NOT supplied.


IMPORTANT

These instructions assume that installation is done against solid/tiled walls.

The wall plugs supplied with the installation kit are for use on solid walls. Hollow or stud-partition walls will require alternative fixings. Please consult with a reputable trades person or hardware supplier for the correct type of fixing.


It may also be necessary to consult your tiling supplier about the correct method drilling your tiles.

Components And Box Contents




NO.	Code	Description	Qty	NO.	Code	Description	Qty
1	BNSL-01	Left Cover caps	1	13	BNSL-13	Screw M4*8	2
2	BNSL-02	Cover Caps	2	14	BNSL-14	Vertical Seal	2
3	BNSL-03	Wall Profile	2	15	BNSL-15	Chrome Piece	2
4	BNSL-04	Fixed Profile	2	16	BNSL-16	Rail Profile	2
5	BNSL-05	U-Shape Seal	2	17	BNSL-17	Bottom Roller	2
6	BNSL-06	Fixed Glass Panel	2	18	BNSL-18	Handle	1
7	BNSL-07	Wall Plug	8	19	BNSL-19	Right Cover Caps	1
8	BNSL-08	Screw cover Caps	8	20	BNSL-20	Magnetic Profile	1
9	BNSL-09	Screw M4*30	8	21	BNSL-21	Magnetic Seal A	1
10	BNSL-10	Screw M4*10	8	22	BNSL-22	Magnetic Seal B	1
11	BNSL-11	Seals	2	23	BNSL-23	Top Roller	2
12	BNSL-12	Stopper	2	24	BNSL-24	Moving Glass Panel	1

Left




Right




Installation Steps

Step1




1-A




$\Phi 6$ drill bit

1-B




Step2




2-A

M4x30




2-B


M4x10





Step3





M4x30




Step4




Step5




Step6




M4x30




Step7




7-A




7-B



Step8




8-A




8-B


Moving Glass Panel




Step9




9-A




9-B




Step10




10-A




10-B




Step11





11-A



11-B



Step11




Allow 24 hours for silicone to dry before use.

Silicone on the outside edge only


Sliding Door With Side Panel

Components And Box Contents




NO.	Code	Description	Qty	NO.	Code	Description	Qty
1	BNSL-01	Left Cover caps	1	15	BNSL-15	Chrome Piece	2
2	BNSL-02	Cover Caps	2	16	BNSL-16	Rail Profile	2
3	BNSL-03	Wall Profile	2	17	BNSL-17	Bottom Roller	2
4	BNSL-04	Fixed Profile	2	18	BNSL-18	Handle	1
5	BNSL-05	U-Shape Seal	2	19	BNSL-19	Right Cover Caps	1
6	BNSL-06	Fixed Glass Panel	2	20	BNSL-20	Side Panel	1
7	BNSL-07	Wall Plug	16	21	BNSL-21	Corner Profile	1
8	BNSL-08	Screw cover Caps	16	22	BNSL-22	Cover Caps	1
9	BNSL-09	Screw M4*30	16	23	BNSL-23	Magnetic Profile	1
10	BNSL-10	Screw M4*10	16	24	BNSL-24	Magnetic Seal A	1
11	BNSL-11	Seals	2	25	BNSL-25	Magnetic Seal B	1
12	BNSL-12	Stopper	2	26	BNSL-26	Top Roller	2
13	BNSL-13	Screw M4*8	2	27	BNSL-27	Moving Glass Panel	1
14	BNSL-14	Vertical Seal	2				

Left




Right




Installation Steps


Step1





1-A




1-B




Step2




Step3





.3-A




3-B





Step4





Step5




Step6




Step7




Step8




8-A




8-B




Step9





9-A



9-B




Step10




10-B


Moving Glass Panel




Step11




11-A




11-B




Step12





12-A



12-B



Step13



Allow 24 hours for silicone to dry before use.

Silicone on the outside edge only